

www.anatol.com

QUIK-KOTE mini

Automatic Emulsion Coating Machine

Shorten your screen prep time and coat more consistently for higher quality prints

- Holds one screen at a time
- Compatible with screen frame sizes of 18"x 19" up to 30"x 44"

Anatol's Quik-Kote mini automatic emulsion coating machine takes the work out of coating screens and allows you to coat more consistently than ever, improving your print quality. The scoop coaters are lifted with servo motors, ensuring a smooth, even coating of emulsion to create stencils of uniform thickness. Lay down more consistent ink deposits than you can by coating manually, resulting in higher quality prints.



Anatol Equipment Manufacturing Co. 919 Sherwood Drive, Lake Bluff, IL 60044 1.847.367.9760 sales@anatol.com



STANDARD FEATURES

Heavy-Duty Construction

High quality pneumatic cylinders with automatic

- braking ensure smooth and accurate movement for consistent operation and even coating
- Scoop coaters are lifted with servo motors for smooth, precise and reliable operation
- Aluminum scoop coaters feature unique easy-to-clean design

High quality, durable steel screen locks are adjustable for a variety of different screen


- frame sizes and thicknesses to ensure a firm hold and even emulsion coating
- A more compact footprint saves space in your shop

Fast, Consistent Operation

- Quick, even and consistent automatic coating at an affordable price point
- Increase productivity and shorten screen prep times by coating both sides of the screen simultaneously
- Uniform scoop coater pressure ensures a smooth, even coating of emulsion on the screen









Screen holders are adjustable to accommodate a wide variety of frame sizes and thicknesses

Anatol Equipment Manufacturing Co. 919 Sherwood Drive, Lake Bluff, IL 60044 1.847.367.9760 sales@anatol.com



STANDARD FEATURES



Easy-to-use 7" touchscreen control panel with
intuitive software gives you full control over the machine

• Save and recall up to 15 different programs



User-friendly touchscreen control panel



Uniform scoop coater pressure ensures a smooth, even coating of emulsion on the screen

DIMENSIONS	67.3" x 39.4" x 28" (171.5cm x 195.5cm x 86.4cm)
WEIGHT	460lb (210kg)
COMPATIBLE SCREEN SIZE	18" x 19" up to 30" x 44" (45cm x 48cm up to 76cm x 112cm)
COMPATIBLE SCREEN FRAME THICKNESS	0.75" x 0.75" up to 1.5" x 1.5" (2cm x 2cm up to 5cm x 5cm)
AIR PRESSURE	58 PSI (4 bar)



1ph, 208-240V, 50/60Hz, 4A Max Power: 850kW

Two-Year Limited Warranty

Every effort has been made to ensure the accuracy of the promotional information included in this brochure. Specifications are subject to change. Anatol Equipment Manufacturing Co. and its subsidiaries, if any, expressly disclaim any liability for damages, consequential or incidental, resulting from the purchase, transportation, installation, or use of any products based on information contained within this brochure. Any rights or remedies are limited solely to those provided in writing by Anatol Equipment Manufacturing Co. at the time of sale.

Anatol Equipment Manufacturing Co. 919 Sherwood Drive, Lake Bluff, IL 60044 1.847.367.9760 sales@anatol.com